

Colonoscopy Preparation with **SUPREP®**Preparation Instructions:

CLEAR LIQUID DIET THE ENTIRE DAY BEFORE THE PROCEDURE

******NOTHING RED OR PURPLE********
THE FOLLOWING ARE ACCEPTABLE:

SOUPS – CLEAR BROTH OR BOUILLON

BEVERAGES - TEA, COFFEE (NO MILK/CREAM IN COFFEE OR TEA), KOOL-AID,

CARBONATED BEVERAGES

JUICES - (NO PULP IN ANY JUICES) WHITE CRANBERRY, APPLE, WHITE GRAPE,

STRAINED LEMONADE - ITALIAN ICE, POPSICLES OR JELLO

ANY QUESTIONS PLEASE CALL THE OFFICE AT 943-1301 OR 789-1860 EXT:

48 hour notice is required for cancellations to avoid a \$100.00 charge

The SUPREP® Bowel Prep Kit contains two 6-ounce bottles of liquid bowel prep and one 16 ounce mixing container. You must complete the entire prep to ensure the most effective cleansing.

Step 1 Beginning: __12 HOURS PRIOR TO YOUR PROCEDURE ARRIVAL TIME. __

Step 2 Pour ONE (1) 6-ounce bottle of SUPREP® liquid into the mixing container. Add cool drinking water to the 16-ounce line on the container and mix. NOTE: Be sure to dilute SUPREP®.

Step 3 Drink ALL the liquid in the container.

Step 4 You must drink two (2) more 16-ounce containers of water over the next 1 hour.

Repeat Steps 1-4: 4-6 HOURS PRIOR TO YOUR ARRIVAL TIME ____

NOTE: You must finish drinking the final glass of water at least 4 hours, or as directed, before your procedure.

The Day of Your Procedure:

- 1. Do not have breakfast of any kind.
- 2. Continue to drink clear liquids until 4 hours before your scheduled arrival time.
- 3. All oral diabetic medications should not be taken the day of the procedure.
- 4. Patients on insulin should contact the physician who prescribes the insulin for instructions for day prior to and day of procedure.
- 5. Take all your heart, blood pressure, and seizure medication as usual with small sips of water.
- 6. Allow enough time for the laxative to finish working before traveling.
- 7. You should be accompanied by a friend or relative to drive or assist you home. You will not be allowed to drive the day of the procedure.